

Tikal NP

January 5, 2016 to January 8, 2016

Jesper Bay Jacobsen

January 5, 2016| Tikal PN| 12:30:00| 18:30:00

1230-1330 around Tikal Inn, rest of afternoon inside park area.| Rebeca

January 6, 2016| Tikal PN| 06:30:00| 18:00:00

630-845 La Aguada (old airstrip), 1015-1800 North group, Temple IV and Gran Plaza.| Rebeca

January 7, 2016| Tikal PN| 06:30:00| 18:00:00

0630-845 La Aguada, 1130-1800 Temple VI and Mundo Perdido| 25-30, 0-4/8| Rebeca

January 8, 2016| Tikal PN| 06:00:00| 15:00:00

0600-845 workers camp + trail between administration complex and road toward Uaxactún.

1100-1500 trail between administration complex and road toward Uaxactún.| 10-25, dense fog in the morning 8-3/8, | Rebeca

OBS: The species list is probably not complete, since I still have 140 recordings to analyze. When this message is gone, the list is complete!

Species total: 112

Tinamous (Tinamidae)

Great Tinamou (*Tinamus major*)

9 ind (4 max) - 4 obs - 4 days. Heard only (H).

Thicket Tinamou (*Crypturellus cinnamomeus*)

1 ind (1 max) - 1 obs - 1 day. (H)

Chachalacas, Guans and Curassows (Cracidae)

Plain Chachalaca (*Ortalis vetula*)

11 ind (10 max) - 2 obs - 2 days.

Crested Guan (*Penelope purpurascens*)

3 ind (2 max) - 2 obs - 2 days. (H)

Great Curassow (*Crax rubra*)

2 ind (2 max) - 1 obs - 1 day.

Pheasants, Grouse and Allies (Phasianidae)

Ocellated Turkey (*Meleagris ocellata*)

15 ind (8 max) - 3 obs - 3 days.

Hérons, Egrets and Bitterns (Ardeidae)

Green Heron (*Butorides virescens*)

1 ind (1 max) - 1 obs - 1 day.

New World Vultures (Cathartidae)

Black Vulture (*Coragyps atratus*)

14 ind (10 max) - 3 obs - 3 days.

Turkey Vulture (*Cathartes aura*)

10 ind (5 max) - 3 obs - 3 days.

King Vulture (*Sarcoramphus papa*)

1 ind (1 max) - 1 obs - 1 day.

Hawks, Eagles and Kites (Accipitridae)

Ornate Hawk-Eagle (*Spizaetus ornatus*)

1 ind (1 max) - 1 obs - 1 day.

Roadside Hawk (*Rupornis magnirostris*)

2 ind (1 max) - 2 obs - 2 days.

Rails, Gallinules and Allies (Rallidae)

Gray-necked Wood-Rail (*Aramides cajaneus*)

2 ind (2 max) - 1 obs - 1 day.

Pigeons and Doves (Columbidae)

Short-billed Pigeon (*Patagioenas nigrirostris*)

3 ind (3 max) - 1 obs - 1 day. (H)

White-tipped Dove (*Leptotila verreauxi*)

2 ind (2 max) - 1 obs - 1 day. (H)

Gray-headed Dove (*Leptotila plumbeiceps*)

1 ind (1 max) - 1 obs - 1 day.

Cuckoos (Cuculidae)

Squirrel Cuckoo (*Piaya cayana*)

2 ind (1 max) - 2 obs - 2 days.

Pheasant Cuckoo (*Dromococcyx phasianellus*)

4 ind (3 max) - 2 obs - 2 days.

Swifts (Apodidae)

Vaux's Swift (*Chaetura vauxi*)

25 ind (15 max) - 2 obs - 2 days.

Lesser Swallow-tailed Swift (*Panyptila cayennensis*)

1 ind (1 max) - 1 obs - 1 day.

Hummingbirds (Trochilidae)

Long-billed Hermit (*Phaethornis longirostris*)

1 ind (1 max) - 1 obs - 1 day.

Stripe-throated Hermit (*Phaethornis striigularis*)

1 ind (1 max) - 1 obs - 1 day.

Purple-crowned Fairy (*Heliothryx barroti*)
1 ind (1 max) - 1 obs - 1 day.

White-bellied Emerald (*Amazilia candida*)
1 ind (1 max) - 1 obs - 1 day.

Rufous-tailed Hummingbird (*Amazilia tzacatl*)
13 ind (10 max) - 3 obs - 3 days.

Buff-bellied Hummingbird (*Amazilia yucatanensis*)
1 ind (1 max) - 1 obs - 1 day.

Trogons (Trogonidae)

Slaty-tailed Trogon (*Trogon massena*)
3 ind (3 max) - 1 obs - 1 day.

Black-headed Trogon (*Trogon melanocephalus*)
3 ind (2 max) - 2 obs - 2 days.

Gartered Trogon (*Trogon caligatus*)
16 ind (10 max) - 3 obs - 3 days.

Motmots (Momotidae)

Blue-crowned Motmot (*Momotus coeruliceps*)
3 ind (2 max) - 2 obs - 2 days. (H)

Jacamars (Galbulidae)

Rufous-tailed Jacamar (*Galbula ruficauda*)
0 ind (0 max) - 1 obs - 1 day. Heard, but since I the day before made a recording I thought was this species but was not, I'm not sure about the two I originally registered this day. So 0 individuals.

Toucans (Ramphastidae)

Emerald Toucanet (*Aulacorhynchus prasinus*)
1 ind (1 max) - 1 obs - 1 day. (H)

Collared Aracari (*Pteroglossus torquatus*)
1 ind (1 max) - 1 obs - 1 day.

Keel-billed Toucan (*Ramphastos sulfuratus*)
26 ind (10 max) - 4 obs - 4 days.

Woodpeckers (Picidae)

Golden-fronted Woodpecker (*Melanerpes aurifrons*)
5 ind (3 max) - 2 obs - 2 days.

Melanerpes sp. (*Melanerpes sp.*)
1 ind (1 max) - 1 obs - 1 day.

Chestnut-colored Woodpecker (*Celeus castaneus*)
4 ind (3 max) - 2 obs - 2 days.

Pale-billed Woodpecker (*Campephilus guatemalensis*)
1 ind (1 max) - 1 obs - 1 day.

Falcons and Caracaras (Falconidae)

Collared Forest-Falcon (*Micrastur semitorquatus*)
2 ind (1 max) - 2 obs - 2 days. (H)

Laughing Falcon (*Herpetotheres cachinnans*)
2 ind (1 max) - 2 obs - 2 days. (H)

Orange-breasted Falcon (*Falco deiroleucus*)
3 ind (2 max) - 2 obs - 2 days.

New World and African Parrots (Psittacidae)

White-crowned Parrot (*Pionus senilis*)
3 ind (3 max) - 1 obs - 1 day.

Red-lored Parrot (*Amazona autumnalis*)
90 ind (30 max) - 4 obs - 4 days.

White-fronted Parrot (*Amazona albifrons*)
10 ind (4 max) - 3 obs - 3 days.

Mealy Parrot (*Amazona farinosa*)
4 ind (2 max) - 2 obs - 2 days.

Olive-throated Parakeet (*Eupsittula nana*)
20 ind (10 max) - 3 obs - 3 days.

Typical Antbirds (Thamnophilidae)

Barred Antshrike (*Thamnophilus doliatus*)
2 ind (2 max) - 1 obs - 1 day. (H)

Antthrushes (Formicariidae)

Black-faced Antthrush (*Formicarius analis*)
1 ind (1 max) - 1 obs - 1 day. (H)

Ovenbirds and Woodcreepers (Furnariidae)

Olivaceous Woodcreeper (*Sittasomus griseicapillus*)
9 ind (5 max) - 3 obs - 3 days.

Strong-billed Woodcreeper (*Xiphocolaptes promeropirhynchus*)
4 ind (2 max) - 2 obs - 2 days.

Ivory-billed Woodcreeper (*Xiphorhynchus flavigaster*)
6 ind (3 max) - 4 obs - 4 days.

Streak-headed Woodcreeper (*Lepidocolaptes souleyetii*)
2 ind (2 max) - 1 obs - 1 day.

Tyrant Flycatchers (Tyrannidae)

Sepia-capped Flycatcher (*Leptopogon amaurocephalus*)
1 ind (1 max) - 1 obs - 1 day. (H)

Northern Bentbill (*Oncostoma cinereigulare*)
1 ind (1 max) - 1 obs - 1 day.

Eye-ringed Flatbill (*Rhynchocyclus brevirostris*)
4 ind (2 max) - 2 obs - 2 days.

Yellow-olive Flycatcher (*Tolmomyias sulphurens*)
2 ind (1 max) - 2 obs - 2 days.

Stub-tailed Spadebill (*Platyrinchus cancrminus*)
6 ind (5 max) - 2 obs - 2 days.

Ruddy-tailed Flycatcher (*Terenotriccus erythrurus*)
2 ind (1 max) - 2 obs - 2 days.

Empidonax sp. (*Empidonax sp.*)
1 ind (1 max) - 1 obs - 1 day.

Bright-rumped Attila (*Attila spadiceus*)
4 ind (1 max) - 4 obs - 4 days.

Rufous Mourner (*Rhytipterna holerythra*)
1 ind (1 max) - 1 obs - 1 day.

Dusky-capped Flycatcher (*Myiarchus tuberculifer*)
14 ind (5 max) - 4 obs - 4 days. (H)

Great Crested Flycatcher (*Myiarchus crinitus*)
2 ind (2 max) - 1 obs - 1 day. (H)

Brown-crested Flycatcher (*Myiarchus tyrannulus*)
2 ind (2 max) - 1 obs - 1 day.

Great Kiskadee (*Pitangus sulphuratus*)
4 ind (2 max) - 3 obs - 3 days.

Social Flycatcher (*Myiozetetes similis*)
30 ind (10 max) - 4 obs - 4 days.

Tropical Kingbird (*Tyrannus melancholicus*)
2 ind (2 max) - 1 obs - 1 day.

Couch's Kingbird (*Tyrannus couchii*)
2 ind (1 max) - 2 obs - 2 days.

Manakins (Pipridae)

White-collared Manakin (*Manacus candei*)
2 ind (2 max) - 1 obs - 1 day.

Red-capped Manakin (*Ceratopipra mentalis*)
1 ind (1 max) - 1 obs - 1 day.

Tityras and Allies (Tityridae)

Masked Tityra (*Tityra semifasciata*)
7 ind (4 max) - 3 obs - 3 days.

Northern Schiffornis (*Schiffornis veraepacis*)
5 ind (5 max) - 1 obs - 1 day. (H)

Vireos, Shrike-Babblers and Erpornis (Vireonidae)

White-eyed Vireo (*Vireo griseus*)
6 ind (3 max) - 3 obs - 3 days.

Mangrove Vireo (*Vireo pallens*)
1 ind (1 max) - 1 obs - 1 day.

Yellow-throated Vireo (*Vireo flavifrons*)
2 ind (1 max) - 2 obs - 2 days.

Tawny-crowned Greenlet (*Tunchiornis ochraceiceps*)
1 ind (1 max) - 1 obs - 1 day.

Lesser Greenlet (*Pachysylvia decurtata*)
8 ind (4 max) - 4 obs - 4 days.

Crows, Jays and Magpies (Corvidae)

Brown Jay (*Psilorhinus morio*)
90 ind (30 max) - 4 obs - 4 days.

Swallows (Hirundinidae)

Northern Rough-winged Swallow (*Stelgidopteryx serripennis*)
100 ind (50 max) - 4 obs - 4 days.

Wrens (Troglodytidae)

Carolina Wren (*Thryothorus ludovicianus*)
1 ind (1 max) - 1 obs - 1 day.

Spot-breasted Wren (*Pheugopedius maculipectus*)
14 ind (6 max) - 4 obs - 4 days. (H)

White-bellied Wren (*Uropsila leucogastra*)
2 ind (1 max) - 2 obs - 2 days.

Gnatcatchers (Poliophtilidae)

Blue-gray Gnatcatcher (*Poliophtila caerulea*)
2 ind (2 max) - 1 obs - 1 day.

Tropical Gnatcatcher (*Poliophtila plumbea*)
1 ind (1 max) - 1 obs - 1 day. (H)

Gnatcatcher sp. (*Poliophtilidae* sp.)
2 ind (2 max) - 1 obs - 1 day.

Thrushes and Allies (Turdidae)

Wood Thrush (*Hylocichla mustelina*)
5 ind (3 max) - 2 obs - 2 days.

Clay-colored Thrush (*Turdus grayi*)
2 ind (2 max) - 1 obs - 1 day.

Mockingbirds and Thrashers (Mimidae)

Gray Catbird (*Dumetella carolinensis*)
4 ind (3 max) - 2 obs - 2 days.

New World Warblers (Parulidae)

Ovenbird (*Seiurus aurocapilla*)
4 ind (3 max) - 2 obs - 2 days.

Worm-eating Warbler (*Helmitheros vermivorum*)
3 ind (2 max) - 2 obs - 2 days.

Louisiana Waterthrush (*Parkesia motacilla*)
1 ind (1 max) - 1 obs - 1 day.

Golden-winged Warbler (*Vermivora chrysoptera*)
1 ind (1 max) - 1 obs - 1 day.

Blue-winged Warbler (*Vermivora cyanoptera*)
1 ind (1 max) - 1 obs - 1 day.

Black-and-white Warbler (*Mniotilta varia*)
15 ind (6 max) - 4 obs - 4 days.

Kentucky Warbler (*Geothlypis formosa*)
1 ind (1 max) - 1 obs - 1 day.

Hooded Warbler (*Setophaga citrina*)
2 ind (1 max) - 2 obs - 2 days.

American Redstart (*Setophaga ruticilla*)
13 ind (5 max) - 4 obs - 4 days.

Magnolia Warbler (*Setophaga magnolia*)
16 ind (6 max) - 4 obs - 4 days.

Bay-breasted Warbler (*Setophaga castanea*)
1 ind (1 max) - 1 obs - 1 day.

Yellow Warbler (*Setophaga petechia*)
5 ind (2 max) - 3 obs - 3 days.

Chestnut-sided Warbler (*Setophaga pensylvanica*)
1 ind (1 max) - 1 obs - 1 day.

Black-throated Green Warbler (*Setophaga virens*)
1 ind (1 max) - 1 obs - 1 day.

Tanagers and Allies (Thraupidae)

Black-throated Shrike-Tanager (*Lanio aurantius*)
1 ind (1 max) - 1 obs - 1 day. Female

Yellow-winged Tanager (*Thraupis abbas*)
2 ind (2 max) - 1 obs - 1 day.

Green Honeycreeper (*Chlorophanes spiza*)
1 ind (1 max) - 1 obs - 1 day. Young male.

Thick-billed Seed-Finch (*Sporophila funerea*)
2 ind (1 max) - 2 obs - 2 days. Males. Likely same bird

White-collared Seedeater (*Sporophila torqueola*)
3 ind (3 max) - 1 obs - 1 day.

Black-headed Saltator (*Saltator atriceps*)
1 ind (1 max) - 1 obs - 1 day.

Cardinals and Allies (Cardinalidae)

Summer Tanager (*Piranga rubra*)
5 ind (2 max) - 3 obs - 3 days.

Red-crowned Ant-Tanager (*Habia rubica*)
4 ind (2 max) - 2 obs - 2 days.

Red-throated Ant-Tanager (*Habia fuscicauda*)
1 ind (1 max) - 1 obs - 1 day.

Blue Bunting (*Cyanocompsa parellina*)
2 ind (1 max) - 2 obs - 2 days.

Troupials and Allies (Icteridae)

Melodious Blackbird (*Dives dives*)
46 ind (20 max) - 5 obs - 4 days.

Montezuma Oropendola (*Psarocolius montezuma*)
105 ind (40 max) - 4 obs - 4 days.

Finches, Euphonias and Allies (Fringillidae)

Yellow-throated Euphonia (*Euphonia hirundinacea*)
6 ind (4 max) - 2 obs - 2 days.

Olive-backed Euphonia (*Euphonia gouldi*)
7 ind (4 max) - 2 obs - 2 days.